



Proteção das mãos

TP169 Preto

TRABALHOS EM AMBIENTE SECO

Luva mecânica, com relevo para melhor preensão



Benefícios únicos



Desempenho

· Grande leveza para uma destreza ideal

Aplicação

- Acabamento / artesãos
- Trabalho temporário
- Armazenamento

Certificações e normas



EN 388
X12XX

Proteção contra riscos



Desgaste



Proteção das mãos

TP169 Preto

TRABALHOS EM AMBIENTE SECO

Luva mecânica, com relevo para melhor preensão

Detalhes - Normas



EN388:2016+A1:2018

X [0-4] RESISTÊNCIA À ABRASÃO
1 [0-5] RESISTÊNCIA DE CORTE
2 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Detalhes técnicos

Tipo de luva	Luva mecânica
Família de luvas	Luva de malha não revestida com relevos
Tipo de luva mecânica	Tricotado
Material com relevo	Relevos em PVC
Calibre	7
Vantagem adicional	Reach
Cor	Preto
Tamanho	7, 9








Safety gloves

TP169

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TP16907	White	07	TP169	3295249016036	13295249016033	300	12	19.4 kg	46.6 cm	59.2 cm	24.2 cm
TP16909	White	09	TP169	3295249016043	13295249016040	300	12	20.0 kg	55.0 cm	65.6 cm	24.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height