



# AIR COLTAN Siva-Žuta

## KACIGE ZA LATERALNU ZAŠTITU

Ventilirana zaštitna kaciga za maksimalnu udobnost, dostupna s vizirima u 3 duljine

Oprema za zaštitu glave



### Područje upotrebe

- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rad na određeno vrijeme
- Komunalne usluge

### Certifikati i standardi



EN 812

### Štiti od



Šok



# AIR COLTAN Siva-Žuta

## KACIGE ZA LATERALNU ZAŠTITU

Ventilirana zaštitna kaciga za maksimalnu udobnost, dostupna s vizirima u 3 duljine

Oprema za zaštitu glave

### Pojedinosti - Standardi

### Tehnički detalji

Vrsta proizvoda	Kaciga sa zaštitom od udarca
Materijal od kojeg je izrađena vanjska oplata (kacige)	Polietilen
Ojačanje vanjske oplata kacige	EVA
Okvir oko glave (cm)	55-62
Glavna boja	Sivo
Kapa s vizikom	Norma
Podšavanje	Stezni remen
Personalizirani logotip	Nedostupan
Težina (g)	176
Dostupne boje	Yellow, Grey



# AIR COLTAN

## BUMP CAP

Ventilated protective cap for maximum comfort, available in 3 visor lengths

Head protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
COLTAAINOLG	Black-Red	Adjustable-long peak	AIR COLTAN	3295249195151	13295249195158	20	1	4.85 kg	42.0 cm	36.0 cm	29.0 cm
COLTAAINOMI	Black-Red	Adjustable-micro peak	AIR COLTAN	3295249195182	13295249195189	20	1	5.4 kg	42.0 cm	36.0 cm	29.0 cm
COLTAAINOSH	Black-Red	Adjustable-short peak	AIR COLTAN	3295249195175	13295249195172	20	1	5.4 kg	41.0 cm	36.0 cm	29.0 cm
COLTAAIJAFI	Fluorescent yellow-Grey	Adjustable-long peak	AIR COLTAN	3295249168834	13295249168831	20	1	4.8 kg	37.6 cm	54.4 cm	32.6 cm
COLTAAIGR	Grey-Yellow	Adjustable-long peak	AIR COLTAN	3295249140571	13295249140578	20	1	4.9 kg	37.4 cm	55.0 cm	32.6 cm
COLTAAIBM	Navy blue-Orange	Adjustable-long peak	AIR COLTAN	3295249140588	13295249140585	20	1	5.4 kg	36.0 cm	48.0 cm	31.0 cm
COLTAAIBMSH	Navy blue-Orange	Adjustable-short peak	AIR COLTAN	3295249195199	13295249195196	20	1	4.5 kg	55.0 cm	37.0 cm	33.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height