



Foot protection

ASTI S1P SRC Gray-Black

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability



Specific benefits



Comfort

- Padded tongue to reduce pressure points in the lacing area
- Dual-density outsole
- Flexible sole to reduce fatigue during use



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties



Hygiene

- Breathability

Applications

- Finishing Works/Craftsmanship
- Events & Scenic
- Light Industry
- Maintenance
- Automotive
- Temporary Work

Certifications and norms



EN ISO 20345
S1PS FO A E SR

Risk Protection



Antistatic



Shock



Slip



Perforation



enjoy safety.

Edit 02/11/2024
www.deltaplus-usa.com



ASTI S1P SRC Gray-Black

MANUFACTURING

Foot protection

Low cut shoe with Panoflex technology for better torsion control and walking stability

Standards - Details

Technical details

Type of Shoe	Low Shoe
Anti-perforation insert	Metal free
Upper material and finition	Leather and textile
Safety toe-cap	Composite
Lining material	Textile, Polyester
Footbed material	EVA
Footbed characteristic	Removable
Outsole material	PU, 2d
Outsole finition	Injected
Weight (g per shoe)	544
Size range	36 → 48



Safety footwear

ASTI S1P SRC MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ASTISPBE42	Beige	42	ASTI S1P SRC	3295249198541	13295249198548	10	1	14.6 kg	43.4 cm	59.4 cm	34.4 cm
ASTISPBE43	Beige	43	ASTI S1P SRC	3295249198558	13295249198555	10	1	14.9 kg	43.8 cm	58.6 cm	34.2 cm
ASTISPBE45	Beige	45	ASTI S1P SRC	3295249198572	13295249198579	10	1	16.0 kg	65.0 cm	44.5 cm	37.0 cm
ASTISPNO36	Black	36	ASTI S1P SRC	3295249198367	13295249198364	10	1	12.1 kg	41.8 cm	54.2 cm	31.0 cm
ASTISPNO37	Black	37	ASTI S1P SRC	3295249198374	13295249198371	10	1	12.4 kg	41.4 cm	54.6 cm	30.8 cm
ASTISPNO38	Black	38	ASTI S1P SRC	3295249198381	13295249198388	10	1	13.1 kg	59.5 cm	44.5 cm	33.5 cm
ASTISPNO39	Black	39	ASTI S1P SRC	3295249198398	13295249198395	10	1	13.5 kg	60.0 cm	44.5 cm	33.5 cm
ASTISPNO40	Black	40	ASTI S1P SRC	3295249198404	13295249198401	10	1	13.9 kg	42.8 cm	58.6 cm	34.2 cm
ASTISPNO41	Black	41	ASTI S1P SRC	3295249198411	13295249198418	10	1	13.9 kg	43.2 cm	59.0 cm	34.6 cm
ASTISPNO42	Black	42	ASTI S1P SRC	3295249198428	13295249198425	10	1	14.5 kg	43.6 cm	59.4 cm	34.8 cm
ASTISPNO43	Black	43	ASTI S1P SRC	3295249198435	13295249198432	10	1	14.8 kg	43.4 cm	59.2 cm	34.6 cm
ASTISPNO44	Black	44	ASTI S1P SRC	3295249198442	13295249198449	10	1	15.7 kg	43.0 cm	65.2 cm	36.8 cm
ASTISPNO45	Black	45	ASTI S1P SRC	3295249198459	13295249198456	10	1	15.8 kg	43.8 cm	64.2 cm	36.8 cm
ASTISPNO46	Black	46	ASTI S1P SRC	3295249198466	13295249198463	10	1	16.1 kg	44.0 cm	64.4 cm	37.0 cm
ASTISPNO47	Black	47	ASTI S1P SRC	3295249198473	13295249198470	10	1	16.9 kg	39.6 cm	44.8 cm	70.2 cm
ASTISPNO48	Black	48	ASTI S1P SRC	3295249198480	13295249198487	10	1	18.0 kg	45.4 cm	70.0 cm	39.6 cm
ASTISPGB41	Grey-Blue	41	ASTI S1P SRC	3295249197797	13295249197794	10	1	14.4 kg	43.4 cm	59.0 cm	34.0 cm
ASTISPGB43	Grey-Blue	43	ASTI S1P SRC	3295249197810	13295249197817	10	1	14.7 kg	43.0 cm	58.8 cm	34.4 cm



Safety footwear

ASTI S1P SRC

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height