



DELTA SPORT S1P SRC Črna-Rdeča

DESIGN

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345

S1P HRO FO A E SRC

Applications

- Second work / craftman
- Predstavitve in dogodki
- Lahka industrija
- Vzdrževanje
- Avtomobilska
- Začasno delo

Protects against risks



Antistatic



Heat



Shock



Slip



DELTA SPORT S1P SRC Črna-Rdeča

DESIGN

Foot protection

Standards - Details

Technical details

| | |
|--------------------------|-----------------------------------|
| Shoe type | High shoe |
| Anti-perforation insert | Metal free |
| Safety toe-cap | Composite |
| Lining material | Textile, Polyester |
| Lining material finition | Absorbing |
| Footbed material | EVA |
| Footbed characteristic | Removable, Breathable, Pre-molded |
| Outsole material | EVA, Nitrile |
| Outsole finition | Welded |
| Weight (g per shoe) | 482 |
| Size range | 39 → 47 |








Safety footwear

DELTA SPORT S1P SRC DESIGN

Sporty design, low cut shoe with technical construction, the best compromise between breathability and durability

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-------------|-------------|------|---------------------|---------------|----------------|---|---|---------|---|---|---|
| DSPORSPNR39 | Black-Red | 39 | DELTA SPORT S1P SRC | 3295249209315 | 13295249209312 | 10 | 1 | 12.4 kg | 44.6 cm | 65.2 cm | 35.2 cm |
| DSPORSPNR40 | Black-Red | 40 | DELTA SPORT S1P SRC | 3295249209322 | 13295249209329 | 10 | 1 | 12.6 kg | 44.8 cm | 64.0 cm | 35.4 cm |
| DSPORSPNR41 | Black-Red | 41 | DELTA SPORT S1P SRC | 3295249209339 | 13295249209336 | 10 | 1 | 12.6 kg | 44.8 cm | 64.4 cm | 35.0 cm |
| DSPORSPNR42 | Black-Red | 42 | DELTA SPORT S1P SRC | 3295249209346 | 13295249209343 | 10 | 1 | 13.1 kg | 45.2 cm | 64.4 cm | 35.0 cm |
| DSPORSPNR43 | Black-Red | 43 | DELTA SPORT S1P SRC | 3295249209353 | 13295249209350 | 10 | 1 | 13.4 kg | 44.8 cm | 64.4 cm | 34.8 cm |
| DSPORSPNR44 | Black-Red | 44 | DELTA SPORT S1P SRC | 3295249209360 | 13295249209367 | 10 | 1 | 14.5 kg | 48.6 cm | 67.4 cm | 38.0 cm |
| DSPORSPNR45 | Black-Red | 45 | DELTA SPORT S1P SRC | 3295249209377 | 13295249209374 | 10 | 1 | 15.2 kg | 48.6 cm | 66.6 cm | 38.2 cm |
| DSPORSPNR46 | Black-Red | 46 | DELTA SPORT S1P SRC | 3295249209384 | 13295249209381 | 10 | 1 | 15.3 kg | 49.4 cm | 67.2 cm | 38.0 cm |
| DSPORSPNR47 | Black-Red | 47 | DELTA SPORT S1P SRC | 3295249209391 | 13295249209398 | 10 | 1 | 19.5 kg | 48.5 cm | 67.0 cm | 37.5 cm |
| DSPORSPBJ39 | Blue-Yellow | 39 | DELTA SPORT S1P SRC | 3295249209223 | 13295249209220 | 10 | 1 | 12.6 kg | 35.2 cm | 44.6 cm | 64.6 cm |
| DSPORSPBJ41 | Blue-Yellow | 41 | DELTA SPORT S1P SRC | 3295249209247 | 13295249209244 | 10 | 1 | 13.2 kg | 34.8 cm | 44.4 cm | 64.6 cm |
| DSPORSPBJ42 | Blue-Yellow | 42 | DELTA SPORT S1P SRC | 3295249209254 | 13295249209251 | 10 | 1 | 13.7 kg | 34.4 cm | 44.0 cm | 64.4 cm |
| DSPORSPBJ43 | Blue-Yellow | 43 | DELTA SPORT S1P SRC | 3295249209261 | 13295249209268 | 10 | 1 | 13.8 kg | 34.0 cm | 44.8 cm | 65.0 cm |
| DSPORSPBJ44 | Blue-Yellow | 44 | DELTA SPORT S1P SRC | 3295249209278 | 13295249209275 | 10 | 1 | 14.5 kg | 36.8 cm | 48.8 cm | 67.6 cm |
| DSPORSPBJ45 | Blue-Yellow | 45 | DELTA SPORT S1P SRC | 3295249209285 | 13295249209282 | 10 | 1 | 14.9 kg | 37.6 cm | 48.4 cm | 67.2 cm |
| DSPORSPBJ46 | Blue-Yellow | 46 | DELTA SPORT S1P SRC | 3295249209292 | 13295249209299 | 10 | 1 | 15.4 kg | 37.4 cm | 48.6 cm | 67.2 cm |
| DSPORSPBJ47 | Blue-Yellow | 47 | DELTA SPORT S1P SRC | 3295249209308 | 13295249209305 | 10 | 1 | 15.8 kg | 37.0 cm | 49.2 cm | 66.2 cm |




Safety footwear

DELTA SPORT S1P SRC

DESIGN

Sporty design, low cut shoe with technical construction, the best compromise between breathability and durability

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height