

## **VENICUTD10**

**LONG-LASTING CUT WORK** 

Level D anti-cut glove with extremely fine handling and comfort of use, ideal for dry conditions.



## **Certifications and norms**





**ANSI ISEA 105** 

A4

## **Specific benefits**



#### Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



#### Performance

· Lightweight for optimal dexterity

## **Applications**

- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry
- Maintenance







# **VENICUTD10**

**LONG-LASTING CUT WORK** 

Level D anti-cut glove with extremely fine handling and comfort of use, ideal for dry conditions.

#### **Standards - Details**



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 2 [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE D [A-F] CUT RESISTANCE ISO 13997

#### **Technical details**

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	21
Benefits element	Touch sensitive, Reach, Vendor pack
Color	Gray
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bags








# **VENICUTD10**

#### **LONG-LASTING CUT WORK**

Level D anti-cut glove with extremely fine handling and comfort of use, ideal for dry conditions.

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code		À	Weight			
VECUTD10GR06	Grey	06	VENICUTD10	3295249296988	13295249296985	60	12	3.1 kg	29.0 cm	53.4 cm	14.8 cm
VECUTD10GR07	Grey	07	VENICUTD10	3295249296995	13295249296992	60	12	3.2 kg	29.0 cm	53.4 cm	15.6 cm
VECUTD10GR08	Grey	08	VENICUTD10	3295249297008	13295249297005	60	12	3.5 kg	29.4 cm	53.8 cm	15.2 cm
VECUTD10GR09	Grey	09	VENICUTD10	3295249297015	13295249297012	60	12	3.5 kg	31.0 cm	55.8 cm	17.2 cm
VECUTD10GR10	Grey	10	VENICUTD10	3295249297022	13295249297029	60	12	3.8 kg	31.2 cm	55.8 cm	17.0 cm
VECUTD10GR11	Grey	11	VENICUTD10	3295249297039	13295249297036	60	12	3.9 kg	31.6 cm	55.4 cm	16.4 cm



Minimum sales

Box Width

Box Depth

Box Height



