



手部防护

# VENICUTD11

长时间正常切割作业

Level D anti-cut glove with extremely fine handling and comfort of use, ideal for use in oily and greasy environments.



## 具体优势



易用性

·完美的贴合性，使用户在长时间使用我们的手套时不会感到手腕部位的任何不适



高性能

·重量非常轻，使其具备最佳的灵巧性  
·聚氨酯涂层的防滑性能提供了良好的抓握力。

## 应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 重工业
- 轻工业
- 维修业

## 标准和认证



EN 388  
3 2 4 2 D

ANSI ISEA 105  
A4



手部防护

# VENICUTD11

长时间正常切割作业

Level D anti-cut glove with extremely fine handling and comfort of use, ideal for use in oily and greasy environments.

## 详细信息 - 标准



### EN388:2016+A1:2018

3 [0-4] 耐磨  
2 [0-5] 防切割  
4 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997

## 技术细节

手套类别	机械防护手套
手套类别	针织涂层手套
机械手套类	针织
涂层材质及饰面	带抓握纹理的丁腈涂层
涂层水平	掌面涂层
涂层数	单涂层
针数	21
产品优势	Reach, 供应商包装
颜色	灰色
尺码	6, 7, 8, 9, 10, 11
包装类型	独立包装








Safety gloves

# VENICUTD11

## LONG-LASTING CUT WORK

Level D anti-cut glove with extremely fine handling and comfort of use, ideal for use in oily and greasy environments.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD11GR06	Grey	06	VENICUTD11	3295249296926	13295249296923	60	12	3.4 kg	29.4 cm	53.2 cm	15.2 cm
VECUTD11GR07	Grey	07	VENICUTD11	3295249296933	13295249296930	60	12	3.6 kg	29.0 cm	54.0 cm	15.4 cm
VECUTD11GR08	Grey	08	VENICUTD11	3295249296940	13295249296947	60	12	3.8 kg	29.2 cm	53.6 cm	15.2 cm
VECUTD11GR09	Grey	09	VENICUTD11	3295249296957	13295249296954	60	12	3.9 kg	31.2 cm	55.2 cm	17.4 cm
VECUTD11GR10	Grey	10	VENICUTD11	3295249296964	13295249296961	60	12	4.3 kg	31.4 cm	56.0 cm	16.0 cm
VECUTD11GR11	Grey	11	VENICUTD11	3295249296971	13295249296978	60	12	4.5 kg	30.8 cm	55.6 cm	17.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height