



Proteção das mãos

GFBLE

TRABALHOS EM AMBIENTE SECO

Luva mecânica em pele, ideal para trabalhos polivalentes, ideal em ambientes secos



Benefícios



Facilidade de utilização

· O ajuste perfeito permite que os utilizadores não sintam desconforto no pulso durante a utilização prolongada

Área de utilização

- Obras públicas
- Edificação
- Manutenção
- Automóvel
- Armazenamento

Certificações e normas



EN 388
3 1 2 2 X

Protege contra



Desgaste



enjoy safety.

Editar 10/11/2024
www.deltaplus.eu



Proteção das mãos

GFBLE

TRABALHOS EM AMBIENTE SECO

Luva mecânica em pele, ideal para trabalhos polivalentes, ideal em ambientes secos

Detalhes - Normas



EN388:2016+A1:2018

3 [0- 4] RESISTÊNCIA À ABRASÃO
1 [0-5] RESISTÊNCIA AO CORTE POR GOLPES
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Detalhes técnicos

Tipo de luva	Luva mecânica
Família de luvas	Luva cortada costurada com palma em couro/dorso em couro
Tipo de luva mecânica	Corte costurado
Espessura (mm)	0,9 -> 1,1
Punho característico	Punho com protetor de artérias
Cor	Natural
Tamanho	8, 9, 10, 11








Safety gloves

GFBLE

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work, ideal in dry environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GFBLE08	Natural	08	GFBLE	3295249037192	13295249037199	120	12	15.7 kg	29.4 cm	60.0 cm	30.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height