

GFBLE

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work, ideal in dry environments



Certifications and norms





3122X

Risk Protection





Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use

Applications

- Public Works
- Building
- Maintenance
- Automotive
- Storage



GFBLE

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work, ideal in dry environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / leather back
Mechanical Glove Type	Cut Sewn
Thickness (mm)	0,9 -> 1,1
Cuff caracteristic	Artery protective
Color	Natural
Size	8, 9, 10, 11







GFBLE

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work, ideal in dry environments

Logistics information Reference Colour Size Designation EAN13 Box code Weight GFBLE08 Natural 08 **GFBLE** 3295249037192 13295249037199 120 12 15.7 kg

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height