

VENICUTF07

INTENSE CUT WORK

Level F cut-resistant glove, ideal for oily or aqueous environments, with good grip thanks to a granular nitrile coating



Specific benefits



Easy to use

 \cdot Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Hygiene

 \cdot Nitrile means no risk of allergies for users



Cost-effective

 \cdot User-friendly worksite package, including three pairs for weekly use

Technologies & labels

· ECOnocut

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Maintenance
- Automotive

Certifications and norms





ANSI ISEA 105

Protects against risks











VENICUTF07

INTENSE CUT WORK

Level F cut-resistant glove, ideal for oily or aqueous environments, with good grip thanks to a granular nitrile coating

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

4 [0-4] ABRASION RESISTANCE 3 [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 3 [0-4] PIERCE RESISTANCE F [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Grip-textured nitrile
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Color	Grey-Black
Size	7, 8, 9, 10, 11
Type of packaging	Pack of 3







VENICUTF07

INTENSE CUT WORK

Level F cut-resistant glove, ideal for oily or aqueous environments, with good grip thanks to a granular nitrile coating

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VECUTF07GRG307	Grey-Black	07	VENICUTF07	3295249296568	13295249296565	40	4	0.0 kg	30.5 cm	60.0 cm	38.5 cm
VECUTF07GRG308	Grey-Black	08	VENICUTF07	3295249296575	13295249296572	40	4	0.0 kg	61.0 cm	31.0 cm	38.5 cm
VECUTF07GRG309	Grey-Black	09	VENICUTF07	3295249296582	13295249296589	40	4	0.0 kg	30.0 cm	56.0 cm	37.0 cm
VECUTF07GRG310	Grey-Black	10	VENICUTF07	3295249296599	13295249296596	40	4	0.0 kg	30.5 cm	61.0 cm	39.0 cm
VECUTF07GRG311	Grey-Black	11	VENICUTF07	3295249296605	13295249296602	40	4	0.0 kg	36.0 cm	54.0 cm	27.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



