

VE715GR WORKS IN OILY ENVIRONMENT

Hand protection



Certifications and norms



Specific benefits



 \cdot Nitrile means no risk of allergies for users

Waterproof, mechanical glove up to mid-back, ideal for wet environments



 \cdot The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining





Edit 24/09/2024 www.deltaplus-usa.com



Hand protection

VE715GR

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, ideal for wet environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove			
Glove family	Knitted coated glove			
Mechanical Glove Type	Tricot			
Coating material and finition	Smooth Nitrile			
Coating Level	3/4 Coating			
Number of Coatings	Single Coated			
Gauge	13			
Color	Black-Gray			
Size	7, 8, 9, 10			
Type of conditioning	in individual bags			



enjoy s




VE715GR WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, ideal for wet environments

Safety gloves

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
VE715GR07	Black-Grey	07	VE715GR	3295249177676	13295249177673	120	12	6.6 kg	28.6 cm	64.4 cm	24.2 cm	
VE715GR08	Black-Grey	08	VE715GR	3295249177683	13295249177680	120	12	7.58 kg	30.2 cm	60.8 cm	24.8 cm	
VE715GR09	Black-Grey	09	VE715GR	3295249177690	13295249177697	120	12	7.622 kg	30.4 cm	61.2 cm	23.4 cm	
VE715GR10	Black-Grey	10	VE715GR	3295249177706	13295249177703	120	12	7.9 kg	31.8 cm	61.6 cm	24.8 cm	

Multiple sales



👕 Box Width

👕 Box Depth

Box Height



enjoy sa