



Hand protection

# VENICUT F XTREM CUT TOUCH - VENICUTF02

## INTENSE CUT WORK

Level F cut-resistant glove, combining comfort and flexibility for precision work in oily or aqueous environments.



### Specific benefits



#### Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves



#### Hygiene

· Reduces perspiration thanks to its excellent breathability  
· Nitrile means no risk of allergies for users



#### Performance

· Lightweight for optimal dexterity  
· Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market



#### Compatibility

· Compatible with Touchscreens

### Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

### Certifications and norms



EN 388  
4 X 4 3 F

ANSI ISEA 105  
A6

### Risk Protection



Cutting



Wearing



Perforation



*enjoy safety.*

Edit 04/11/2024  
[www.deltaplus-usa.com](http://www.deltaplus-usa.com)



Hand protection

# VENICUT F XTREM CUT TOUCH - VENICUTF02

## INTENSE CUT WORK

Level F cut-resistant glove, combining comfort and flexibility for precision work in oily or aqueous environments.

### Standards - Details



#### EN388:2016+A1:2018

- 4 [0-4] ABRASION RESISTANCE
- X [0-5] CUT RESISTANCE
- 4 [0-4] TEAR RESISTANCE
- 3 [0-4] PIERCE RESISTANCE
- F [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Aqua Polymer Foam
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	18
Benefits element	Touch sensitive, Reach, Vendor pack
Color	Navy blue-Black
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bags








Safety gloves

# VENICUT F XTREM CUT TOUCH - VENICUTF02

## INTENSE CUT WORK

Level F cut-resistant glove, combining comfort and flexibility for precision work in oily or aqueous environments.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF02GR06	Navy blue-Black	06	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236441	13295249236448	60	6	4.1 kg	30.6 cm	75.6 cm	17.0 cm
VECUTF02GR07	Navy blue-Black	07	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236458	13295249236455	60	6	4.2 kg	31.0 cm	74.8 cm	17.4 cm
VECUTF02GR08	Navy blue-Black	08	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236465	13295249236462	60	6	4.7 kg	30.6 cm	75.6 cm	17.6 cm
VECUTF02GR09	Navy blue-Black	09	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236472	13295249236479	60	6	5.0 kg	31.0 cm	74.8 cm	16.8 cm
VECUTF02GR10	Navy blue-Black	10	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249238759	13295249238756	60	6	5.0 kg	31.6 cm	76.0 cm	19.6 cm
VECUTF02GR11	Navy blue-Black	11	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236489	13295249236486	60	6	5.4 kg	31.0 cm	74.8 cm	17.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height