



手部防护

VENICUT F XTREM CUT TOUCH - VENICUTF02

高强度切割环境作业

F级防切割手套，舒适灵活，适合在油性或水性环境中进行精密加工作业



具体优势

易用性

- 可触屏，用户在使用平板电脑或智能手机时，无需摘下手套

卫生环保

- 由于其良好的透气性，减少出汗
- 丁腈涂层，使用者无过敏风险

高性能

- 重量非常轻，使其具备最佳的灵巧性
- Xtrem CUT纤维使手套更加舒适灵活，同时具备市面上最高等级的防切割性能

兼容性

- 支持触屏使用

应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 维修业
- 汽车业
- 采矿

标准和认证



EN 388
4 X 4 3 F

ANSI ISEA 105

A6



手部防护

VENICUT F XTREM CUT TOUCH - VENICUTF02

高强度切割环境作业

F级防切割手套，舒适灵活，适合在油性或水性环境中进行精密加工作业

详细信息 - 标准



EN388:2016+A1:2018

4 [0-4] 耐磨

X [0-5] 防切割

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

F [A-F] CUT RESISTANCE ISO 13997

技术细节

手套类别	机械防护手套
手套类别	针织涂层手套
机械手套类	针织
涂层材质及饰面	水性聚氨酯发泡涂层
涂层水平	掌面涂层
涂层数	单涂层
针数	18
产品优势	触摸感应, Reach, 供应商包装
颜色	海军蓝-黑色
尺码	6, 7, 8, 9, 10, 11
包装类型	独立包装








Safety gloves

VENICUT F XTREM CUT TOUCH - VENICUTF02

INTENSE CUT WORK

Level F cut-resistant glove, combining comfort and flexibility for precision work in oily or aqueous environments.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF02GR06	Navy blue-Black	06	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236441	13295249236448	60	6	4.1 kg	30.6 cm	75.6 cm	17.0 cm
VECUTF02GR07	Navy blue-Black	07	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236458	13295249236455	60	6	4.2 kg	31.0 cm	74.8 cm	17.4 cm
VECUTF02GR08	Navy blue-Black	08	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236465	13295249236462	60	6	4.7 kg	30.6 cm	75.6 cm	17.6 cm
VECUTF02GR09	Navy blue-Black	09	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236472	13295249236479	60	6	5.0 kg	31.0 cm	74.8 cm	16.8 cm
VECUTF02GR10	Navy blue-Black	10	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249238759	13295249238756	60	6	5.0 kg	31.6 cm	76.0 cm	19.6 cm
VECUTF02GR11	Navy blue-Black	11	VENICUT F XTREM CUT TOUCH - VENICUTF02	3295249236489	13295249236486	60	6	5.4 kg	31.0 cm	74.8 cm	17.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height