



Zaštita ruku

# EOS FLEX CUT D VV922

DUGOTRAJNI POSLOVI REZANJA

Rukavica s zaštitom od udara razine D, štiti cijelu ruku, idealna za svestrani rad u okruženjima s uljem i vodom



## Prednosti



### Izdržljivost

· Visokokvalitetni premaz produkuje vijek trajanja rukavica i osigurava vrlo dobru zaštitu ruku



### Jednostavna upotreba

· Korisnici ne osjećaju nelagodu na zapešćima kada ih koriste dulje vrijeme



### Higijena

· Iznimno je prozirna što smanjuje znojenje



### Performanse

· Fleksibilna ojačanja koja jamče povećanu zaštitu od udaraca i priklještenja

· Izvrsna otpornost na rezove zahvaljujući vlaknima SOFTnocut

## Područje upotrebe

- Poljoprivreda
- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska

## Certifikati i standardi



EN 388

3 X 4 2 D P



EN 407

X 2 X X X X

## Štiti od



Toplina



Šok



Rezanje



Habanje



Zaštita ruku

# EOS FLEX CUT D VV922

## DUGOTRAJNI POSLOVI REZANJA

Rukavica s zaštitom od udara razine D, štiti cijelu ruku, idealna za svestrani rad u okruženjima s uljem i vodom

### Pojedinosti - Standardi



#### EN388:2016+A1:2018

3 [0-4] OTPORNOST NA ABRAZIJU  
X [0-5] OTPORNOST NA POREZOTINE  
4 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997  
P [P] IMPACT RESISTANCE (OPTIONAL)

### Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Posebna vrsta rukavica	Učinak
Materijal i završna obrada premaza	Glatka termoplastika
Razina premaza	Potpuni premaz osim zapešća
Broj premaza	Jednoslojni premaz
Debljina	15
Boja	Crna
Veličina	8, 9, 10, 11
Vrsta pakiranja	Etiketa








Safety gloves

# EOS FLEX CUT D VV922

## LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV922NO09	Black	09	EOS FLEX CUT D VV922	3295249268640	13295249268647	60	6	18.52 kg	73.5 cm	28.5 cm	36.5 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height