

EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Hygiene

· Reduces perspiration thanks to its excellent breathability



Performance

- · Flexible reinforcements for added protection against impact and pinching
- · SOFTnocut fiber provides excellent cut resistance

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive

Certifications and norms





EN 388 3 X 4 2 D P



EN 407 X 2 X X X X

Risk Protection













EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE D [A-F] CUT RESISTANCE ISO 13997 P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Special gloves kind	Impact
Coating material and finition	Smooth Thermoplastic
Coating Level	Hand Coated
Number of Coatings	Single Coated
Gauge	15
Color	Black
Size	8, 9, 10, 11
Type of conditioning	Header card







EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VV922NO09	Black	09	EOS FLEX CUT D VV922	3295249268640	13295249268647	60	6	18.52 kg	73.5 cm	28.5 cm	36.5 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height