



# THEMIS VV792 ESD

## SPECIFIC WORKS

Hand protection



### Specific benefits



#### Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves



#### Performance

· High electrostatic dissipation to reduce the risk of sparking  
· Lightweight for optimal dexterity



#### Compatibility

· Compatible with tactile screens

### Certifications and norms



EN 388  
X13XX



EN 16350

### Applications

- Javna dela
- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Rudarska industrija
- Začasno delo

### Protects against risks



Antistatic



# THEMIS VV792 ESD

## SPECIFIC WORKS

Hand protection

### Standards - Details



#### EN388:2016+A1:2018

X [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
3 [0-4] TEAR RESISTANCE  
X [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

|                               |   |
|-------------------------------|---|
| Glove kind                    | Mechanical glove  |
| Glove family                  | Knitted coated glove                                      |
| Mechanical glove kind         | Knitted   |
| Coating material and finition | PU  |
| Coating level                 | Fingertip coated  |
| Number of layer               | Single layer  |
| Gauge                         | 15  |
| Benefits element              | Antistatic, Touch sensitive, Reach, Vendor pack, Azo Free |
| Color                         | Rjasta-Siva   |
| Size                          | 6, 7, 8, 9, 10, 11  |
| Type of packaging             | in individual bags  |








# THEMIS VV792 ESD

## SPECIFIC WORKS

Mechanical glove with electrostatic properties for precision work

Safety gloves

### Logistics information

| Reference | Colour             | Size | Designation      | EAN13         | Box code       |  |  | Weight  |  |  |  |
|-----------|--------------------|------|------------------|---------------|----------------|---|---|---------|---|---|---|
| VV792BC06 | Rust-coloured-Grey | 06   | THEMIS VV792 ESD | 3295249178123 | 13295249178120 | 120   | 12  | 4.2 kg  | 32.8 cm   | 47.0 cm   | 32.6 cm   |
| VV792BC07 | Rust-coloured-Grey | 07   | THEMIS VV792 ESD | 3295249178130 | 13295249178137 | 120   | 12  | 4.4 kg  | 33.2 cm   | 46.8 cm   | 32.6 cm   |
| VV792BC08 | Rust-coloured-Grey | 08   | THEMIS VV792 ESD | 3295249178147 | 13295249178144 | 120   | 12  | 4.6 kg  | 33.0 cm   | 47.0 cm   | 32.6 cm   |
| VV792BC09 | Rust-coloured-Grey | 09   | THEMIS VV792 ESD | 3295249178154 | 13295249178151 | 120   | 12  | 4.5 kg  | 28.0 cm   | 48.0 cm   | 25.0 cm   |
| VV792BC10 | Rust-coloured-Grey | 10   | THEMIS VV792 ESD | 3295249178161 | 13295249178168 | 120   | 12  | 4.88 kg | 28.0 cm   | 48.0 cm   | 25.0 cm   |
| VV792BC11 | Rust-coloured-Grey | 11   | THEMIS VV792 ESD | 3295249178178 | 13295249178175 | 120   | 12  | 5.3 kg  | 33.2 cm   | 47.0 cm   | 33.0 cm   |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height