



Hand protection

VE728

THERMAL COLD WORKS

Thermal tactile glove with a good grip on objects handled in slightly cold environments



Specific benefits



Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves



Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C

· Lightweight for optimal dexterity

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Temporary Work

Certifications and norms



EN 388
3 1 2 1 X



EN 511
X
1
X

Risk Protection



Cold



Wearing



enjoy safety.



Hand protection

VE728

THERMAL COLD WORKS

Thermal tactile glove with a good grip on objects handled in slightly cold environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Special gloves kind	Cold
Coating material and finition	Nitrile foam
Coating Level	Palm Coating
Number of Coatings	Single Coated
Dots material	Nitrile Dots
Gauge	13
Benefits element	Touch sensitive
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags








Safety gloves

VE728

THERMAL COLD WORKS

Thermal tactile glove with a good grip on objects handled in slightly cold environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE728NO07	Grey-Black	07	VE728	3295249228347	13295249228344	120	12	6.0 kg	28.0 cm	52.0 cm	30.0 cm
VE728NO08	Grey-Black	08	VE728	3295249228354	13295249228351	120	12	6.3 kg	28.0 cm	52.0 cm	30.0 cm
VE728NO09	Grey-Black	09	VE728	3295249228361	13295249228368	120	12	6.8 kg	28.0 cm	52.0 cm	30.0 cm
VE728NO10	Grey-Black	10	VE728	3295249228378	13295249228375	120	12	7.0 kg	28.0 cm	52.0 cm	30.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height