



Hand protection

TIG15K

THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry



Specific benefits



Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Temporary work

Certifications and norms



EN 388
2 1 1 1 X

EN 12477
TYPE B



EN 407
4 1 X X 4 X

Protects against risks



Heat



Wearing



Hand protection

TIG15K

THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-----------------------|--|
| Glove kind | Special glove |
| Glove family | Cut and sewn leather palm / leather back |
| Mechanical glove kind | Cut and sewn |
| Special gloves kind | Welding |
| Thickness (mm) | 0,8 -> 1,0 |
| Arm level protection | Forearm cuff (< 400mm) |
| Cuff characteristic | Leather cuff |
| Cuff length (mm) | 150 |
| Color | Grey |
| Size | 8, 9, 10 |








Safety gloves

TIG15K

THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|-------------|---------------|----------------|---|---|--------|---|---|---|
| TIG15K08 | Grey | 08 | TIG15K | 3295249033965 | 13295249033962 | 36 | 6 | 4.9 kg | 34.8 cm | 42.2 cm | 16.8 cm |
| TIG15K09 | Grey | 09 | TIG15K | 3295249033972 | 13295249033979 | 36 | 6 | 5.8 kg | 36.4 cm | 44.0 cm | 19.0 cm |
| TIG15K10 | Grey | 10 | TIG15K | 3295249033989 | 13295249033986 | 36 | 6 | 6.5 kg | 36.4 cm | 46.2 cm | 19.0 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height