



Hand protection

# CRYOG

## THERMAL SPECIFIC WORKS

Thermal, cryogenic leather glove, combining flexibility, increased durability and comfort



### Specific benefits



#### Easy to use

· Hook-and-loop fastener for better wrist support



#### Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C



#### Compatibility

· Compatible with liquid nitrogen (down to -196°C) for a few seconds

### Applications

- Public works
- Building
- Maintenance
- Automotive
- Temporary work

### Certifications and norms



EN 388  
2 2 2 2 X



EN 511  
2  
3  
X

ANSI ISEA 105

A2

### Protects against risks



Cold



Wearing



*enjoy safety.*



Hand protection

# CRYOG

## THERMAL SPECIFIC WORKS

Thermal, cryogenic leather glove, combining flexibility, increased durability and comfort

### Standards - Details



#### EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE  
2 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical glove kind	Cut and sewn
Special gloves kind	Cold
Leather treatment	Hydro
Lining material	Synthetical textile
Thickness (mm)	1,1 -> 1,3
Arm level protection	Elbow cuff (<= 500mm)
Cuff characteristic	Large safety cuff
Cuff length (mm)	200
Benefits element	Repellent
Color	Grey-Beige
Size	10








Safety gloves

# CRYOG

## THERMAL SPECIFIC WORKS

Thermal, cryogenic leather glove, combining flexibility, increased durability and comfort

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CRYOG10	Grey-Beige	10	CRYOG	3295249026844	13295249026841	36	6	16.8 kg	42.0 cm	53.2 cm	43.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height