



Handbescherming

# TIG15K

## LASWERKEN

Thermische lederen handschoen die werkflexibiliteit en finesse combineert voor laswerk in de zware industrie



## Voordelen



### Prestaties

· Weerstand tegen contacthitte (100°C gedurende 15 seconden) dankzij de hoogwaardige vezel HEATnocut

## Toepassing

- Openbare werken
- Bouw & Constructie
- Afwerking / ambachtslieden
- Onderhoud
- Automotive
- Tijdelijk werk

## Certificeringen en normen



EN 388  
2 1 1 1 X

EN 12477  
TYPE B



EN 407  
4 1 X X 4 X

## Beschermt tegen



Warmte



Schuren en slijtage



Handbescherming

# TIG15K

## LASWERKEN

Thermische lederen handschoen die werkflexibiliteit en finesse combineert voor laswerk in de zware industrie

### Normen - Details



#### EN388:2016+A1:2018

2 [0-4] SCHUURWEERSTAND  
1 [0-5] WEERSTAND TEGEN SNIJDEN  
1 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technische details

Type handschoen	Specifieke handschoen
Handschoenfamilie	Gesneden en genaaide handschoen handpalm leder/rug leder
Type mechanische handschoen	Gesneden genaaid
Specifieke handschoentypes	Lassen
Dikte (mm)	0,8 -> 1,0
Armbeschermingsniveau	Lengte: onderarm (< 400mm)
Kenmerk manchet	Lederen manchet
Lengte manchet (mm)	150
Kleur	Grijs
Grootte	8, 9, 10








Safety gloves

# TIG15K

## THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TIG15K08	Grey	08	TIG15K	3295249033965	13295249033962	36	6	4.9 kg	34.8 cm	42.2 cm	16.8 cm
TIG15K09	Grey	09	TIG15K	3295249033972	13295249033979	36	6	5.8 kg	36.4 cm	44.0 cm	19.0 cm
TIG15K10	Grey	10	TIG15K	3295249033989	13295249033986	36	6	6.5 kg	36.4 cm	46.2 cm	19.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height