



Zaštita ruku

TERK400

TOPLINSKO ZAVARIVANJE

Termička rukavica od aluminizirane kože, štiti od ekstremne vrućine, idealna za rad u teškoj industriji



Prednosti

Performanse

- Povećana otpornost na kontaktnu toplinu zahvaljujući koži koja je THT tretirana za zaštitu od topline
- Otporne na plamen, toplinu i velika prskanja rastaljenog metala, idealne za zavarivanje i rad u okruženjima u kojima je potreban visok stupanj zaštite od topline
- Vrlo debele i dugačke za pojačanu zaštitu ruke u cijelosti

Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rudarska industrija
- Energija

Certifikati i standardi



EN 388
3 2 3 4 X

EN 12477
TIP A



EN 407
4 1 2 4 4 4

Štiti od



Toplina



Habanje



Perforacija



Zaštita ruku

TERK400

TOPLINSKO ZAVARIVANJE

Termička rukavica od aluminizirane kože, štiti od ekstremne vrućine, idealna za rad u teškoj industriji

Pojedinosti - Standardi



EN388:2016+A1:2018

3 [0-4] OTPORNOST NA ABRAZIJU
2 [0-5] OTPORNOST NA POREZOTINE
3 [0-4] TEAR RESISTANCE
4 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Krojene i šivane rukavice s dijelom na dlanu od kože i stražnjim dijelom od sintetike
Vrsta mehaničke rukavice	Izrađena po mjeri
Posebna vrsta rukavica	Zavarivanje, Aluminizirano
Materijal obloge	Sintetički tekstil
Razina zaštite ruke	Duljina: u predjelu lakta (≤ 500 mm)
Osnovne značajke manžete	Manžeta s dodatkom aluminija
Cuff length (mm)	200
Dodatna pogodnost	Reach, Bez azo boja
Boja	Narančasta-Siva
Veličina	10








Safety gloves

TERK400

THERMAL WELDING WORKS

Thermal aluminised leather glove, protecting against extreme heat, ideal for work in heavy industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TERK40010	Orange-Grey	10	TERK400	3295249020330	13295249020337	36	6	15.9 kg	51.2 cm	51.6 cm	51.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height