



Hand protection

TERK400

THERMAL WELDING WORKS

Thermal aluminised leather glove, protecting against extreme heat, ideal for work in heavy industry



Specific benefits

Performance

- THT-treated heat-resistant leather provides increased resistance to contact heat
- Resistant to flame, heat and large splashes of molten metal, ideal for welding and heat protection applications
- Extra thick and long for extra protection of the entire arm

Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining
- Power Energy

Certifications and norms



EN 388
3 2 3 4 X

EN 12477
TYPE A



EN 407
4 1 2 4 4 4

Risk Protection



Heat



Wearing



Perforation



Hand protection

TERK400

THERMAL WELDING WORKS

Thermal aluminised leather glove, protecting against extreme heat, ideal for work in heavy industry

Standards - Details



EN388:2016+A1:2018

- 3 [0-4] ABRASION RESISTANCE
- 2 [0-5] CUT RESISTANCE
- 3 [0-4] TEAR RESISTANCE
- 4 [0-4] PIERCE RESISTANCE
- X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / membrane back
Mechanical Glove Type	Cut Sewn
Special gloves kind	Welding, Aluminised
Lining material	Synthetic textile
Arm level protection	Elbow cuff (<= 500mm)
Cuff characteristic	Aluminised cuff
Cuff length (mm)	200
Benefits element	Reach, Azo Free
Color	Orange-Grey
Size	10








Safety gloves

TERK400

THERMAL WELDING WORKS

Thermal aluminised leather glove, protecting against extreme heat, ideal for work in heavy industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TERK40010	Orange-Grey	10	TERK400	3295249020330	13295249020337	36	6	15.9 kg	51.2 cm	51.6 cm	51.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height