



Zaštita ruku

TIG15K

TOPLINSKO ZAVARIVANJE

Kožna termička rukavica, kombinira fleksibilnost i preciznost, idealna za zavarivanje u teškoj industriji



Prednosti

Performanse

· Otpornost na kontaktnu toplinu (100 °C tijekom 15 sekundi) zahvaljujući vlaknima HEATnocut visokih performansi

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rad na određeno vrijeme

Certifikati i standardi



EN 388
2111X

EN 12477
TIP B



EN 407
41XX4X

Štiti od



Toplina



Habanje



Zaštita ruku

TIG15K

TOPLINSKO ZAVARIVANJE

Kožna termička rukavica, kombinira fleksibilnost i preciznost, idealna za zavarivanje u teškoj industriji

Pojedinosti - Standardi



EN388:2016+A1:2018

2 [0-4] OTPORNOST NA ABRAZIJU
1 [0-5] OTPORNOST NA POREZOTINE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Krojene i šivane rukavice s dijelom na dlanu i stražnjim dijelom od kože
Vrsta mehaničke rukavice	Izrađena po mjeri
Posebna vrsta rukavica	Zavarivanje
Debljina (mm)	0,8 -> 1,0
Razina zaštite ruke	Duljina: u predjelu podlaktice (< 400 mm)
Osnovne značajke manžete	Kožna manžeta
Cuff length (mm)	150
Boja	Siva
Veličina	8, 9, 10








Safety gloves

TIG15K

THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TIG15K08	Grey	08	TIG15K	3295249033965	13295249033962	36	6	4.9 kg	34.8 cm	42.2 cm	16.8 cm
TIG15K09	Grey	09	TIG15K	3295249033972	13295249033979	36	6	5.8 kg	36.4 cm	44.0 cm	19.0 cm
TIG15K10	Grey	10	TIG15K	3295249033989	13295249033986	36	6	6.5 kg	36.4 cm	46.2 cm	19.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height