

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work



Certifications and norms





ANSI ISEA 105

A2

Specific benefits



Easy to use

- · Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- · Hook-and-loop fastener for better wrist support



Hygiene

· Reduces perspiration thanks to its excellent breathability



Performance

- \cdot Flexible reinforcements for added protection against impact and pinching
- · Lightweight for optimal dexterity

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Mining

Protects against risks













EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 2 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE B [A-F] CUT RESISTANCE ISO 13997 P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Cut and sewn textile palm / textile back
Mechanical glove kind	Cut and sewn
Special gloves kind	Impact
Dots material	PVC Dots
Cuff caracteristic	Velcro cuff
Benefits element	Reach, Vendor pack
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of packaging	Header card







EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

			Logisti	ics informat	ion						
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VV900JA12	Yellow-Grey-Black	12	EOS VV900JA	3295249196004	13295249196001	60	12	14.8 kg	33.6 cm	68.8 cm	30.6 cm

Multiple sales
Multiple sales

Minimum sales

Box Width

Box Depth

Box Height