



Hand protection

# TIG15K

## THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry



### Specific benefits



#### Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

### Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Temporary Work

### Certifications and norms



EN 388  
2 1 1 1 X

EN 12477  
TYPE B



EN 407  
4 1 X X 4 X

### Risk Protection



Heat



Wearing



*enjoy safety.*



Hand protection

# TIG15K

## THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry

### Standards - Details



#### EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
1 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical Glove Type	Cut Sewn
Special gloves kind	Welding
Thickness (mm)	0,8 -> 1,0
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Leather cuff
Cuff length (mm)	150
Color	Gray
Size	8, 9, 10








Safety gloves

# TIG15K

## THERMAL WELDING WORKS

Thermal leather glove, combining great flexibility and finesse for welding work in heavy industry

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TIG15K08	Grey	08	TIG15K	3295249033965	13295249033962	36	6	4.9 kg	34.8 cm	42.2 cm	16.8 cm
TIG15K09	Grey	09	TIG15K	3295249033972	13295249033979	36	6	5.8 kg	36.4 cm	44.0 cm	19.0 cm
TIG15K10	Grey	10	TIG15K	3295249033989	13295249033986	36	6	6.5 kg	36.4 cm	46.2 cm	19.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height