



CRYOG

THERMAL SPECIFIC WORKS

Hand protection



Specific benefits



Easy to use

· Hook-and-loop fastener for better wrist support



Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C



Compatibility

· Compatible with liquid nitrogen (down to -196°C) for a few seconds

Applications

- Javna dela
- Stavba
- Vzdrževanje
- Avtomobilska
- Začasno delo

Certifications and norms



EN 388
2 2 2 2 X



EN 511
2
3
X

ANSI ISEA 105
A2

Protects against risks



Cold



Wearing



CRYOG

THERMAL SPECIFIC WORKS

Hand protection

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-----------------------|--|
| Glove kind | Special glove |
| Glove family | Cut and sewn leather palm / leather back |
| Mechanical glove kind | Cut and sewn |
| Special gloves kind | Cold |
| Leather treatment | Hydro |
| Lining material | Synthetical textile |
| Thickness (mm) | 1,1 -> 1,3 |
| Arm level protection | Elbow cuff (<= 500mm) |
| Cuff characteristic | Large safety cuff |
| Cuff length (mm) | 200 |
| Benefits element | Repellent |
| Color | Siva-Bež |
| Size | 10 |








Safety gloves

CRYOG

THERMAL SPECIFIC WORKS

Thermal, cryogenic leather glove, combining flexibility, increased durability and comfort

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|------------|------|-------------|---------------|----------------|---|---|---------|---|---|---|
| CRYOG10 | Grey-Beige | 10 | CRYOG | 3295249026844 | 13295249026841 | 36 | 6 | 16.8 kg | 42.0 cm | 53.2 cm | 43.8 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height