



EOS VV900JA

WORKS IN DRY ENVIRONMENT

Hand protection



Specific benefits



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- Hook-and-loop fastener for better wrist support



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Flexible reinforcements for added protection against impact and pinching
- Lightweight for optimal dexterity

Applications

- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Rudarska industrija

Certifications and norms



EN 388
3 2 2 2 B P

ANSI ISEA 105
A2

Protects against risks



Shock



Cutting



Wearing



EOS VV900JA

WORKS IN DRY ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Cut and sewn textile palm / textile back
Mechanical glove kind	Cut and sewn
Special gloves kind	Impact
Dots material	PVC Dots
Cuff characteristic	Velcro cuff
Benefits element	Reach, Vendor pack
Color	Rumena-siva-črna
Size	8, 9, 10, 11, 12
Type of packaging	Header card








Safety gloves

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV900JA12	Yellow-Grey-Black	12	EOS VV900JA	3295249196004	13295249196001	60	12	14.8 kg	33.6 cm	68.8 cm	30.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height