



Hand protection

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work



Specific benefits



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- Hook-and-loop fastener for better wrist support



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Flexible reinforcements for added protection against impact and pinching
- Lightweight for optimal dexterity

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Mining

Certifications and norms



EN 388
3 2 2 2 B P

ANSI ISEA 105
A2

Risk Protection



Shock



Cutting



Wearing



enjoy safety.

Edit 05/11/2024
www.deltaplus-usa.com



EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Hand protection

Standards - Details



EN388:2016+A1:2018

- 3 [0-4] ABRASION RESISTANCE
- 2 [0-5] CUT RESISTANCE
- 2 [0-4] TEAR RESISTANCE
- 2 [0-4] PIERCE RESISTANCE
- B [A-F] CUT RESISTANCE ISO 13997
- P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Cut and sewn textile palm / textile back
Mechanical Glove Type	Cut Sewn
Special gloves kind	Impact
Dots material	PVC Dots
Cuff characteristic	Velcro cuff
Benefits element	Reach, Vendor pack
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of conditioning	Header card








Safety gloves

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV900JA12	Yellow-Grey-Black	12	EOS VV900JA	3295249196004	13295249196001	60	12	14.8 kg	33.6 cm	68.8 cm	30.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height