



Hand protection

ATON VV731

WORKS IN WET ENVIRONMENT

Level B, multi-risk, cut-resistant glove with excellent grip, ideal in wet conditions



Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (250° for 15 seconds)
· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C

Applications

- **Public Works**
- **Building**
- **Temporary Work**

Certifications and norms



EN 388
2 3 4 2 B



EN 511
X
1
X



EN 407
X 2 X X X X

Risk Protection



Heat



Cutting



Cold



Wearing



enjoy safety.



ATON VV731

WORKS IN WET ENVIRONMENT

Level B, multi-risk, cut-resistant glove with excellent grip, ideal in wet conditions

Hand protection

Standards - Details



EN388:2016+A1:2018

- 2 [0-4] ABRASION RESISTANCE
- 3 [0-5] CUT RESISTANCE
- 4 [0-4] TEAR RESISTANCE
- 2 [0-4] PIERCE RESISTANCE
- B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Special gloves kind	Cold
Coating material and finition	Grip Textured Latex
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	10
Benefits element	Reach, Vendor pack
Color	Black
Size	8, 9, 10, 11
Type of conditioning	in individual bags








Safety gloves

ATON VV731

WORKS IN WET ENVIRONMENT

Level B, multi-risk, cut-resistant glove with excellent grip, ideal in wet conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV731NO08	Black	08	ATON VV731	3295249214517	13295249214514	60	12	6.6 kg	30.6 cm	65.2 cm	21.6 cm
VV731NO09	Black	09	ATON VV731	3295249214524	13295249214521	60	12	7.2 kg	31.2 cm	63.6 cm	21.4 cm
VV731NO10	Black	10	ATON VV731	3295249214531	13295249214538	60	12	7.7 kg	31.4 cm	63.6 cm	22.6 cm
VV731NO11	Black	11	ATON VV731	3295249214548	13295249214545	60	12	8.5 kg	30.6 cm	63.4 cm	24.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height