



Protection des mains

EOS FLEX VV920

TRAVAUX MILIEU HUMIDE

Gant anti-impact possédant un niveau A à la coupure, flexible et confortable, idéal pour des travaux lourds en milieu sec



Applications

- Travaux publics
- Bâtiment
- Maintenance
- Travail temporaire
- Stockage

Certifications et normes



EN 388
2 1 4 1 AP



EN 407
X 2 X X X X

Protège contre les risques



Chaleur



Choc



Usure



Perforation



EOS FLEX VV920

TRAVAUX MILIEU HUMIDE

Protection des mains

Gant anti-impact possédant un niveau A à la coupure, flexible et confortable, idéal pour des travaux lourds en milieu sec

Détails - Normes



EN388:2016+A1:2018

2 [0-4] RÉSISTANCE À L'ABRASION
1 [0-5] RÉSISTANCE À LA COUPURE
4 [0-4] RÉSISTANCE À LA DÉCHIRURE
1 [0-4] RÉSISTANCE À LA PERFORATION
A [A-F] RÉSISTANCE À LA COUPURE SELON ISO 13997
P [P] PROTECTION CONTRE LES CHOCS (OPTIONNEL)

Détails techniques

Type de gant	Gant spécifique
Famille de gants	Gant tricoté non enduit avec paume cuir
Type de gant mécanique	Tricoté
Type de gants Spécifiques	Tricoté paume cuir, Impact
Couleur	Noir
Tailles	8, 9, 10, 11



Safety gloves

EOS FLEX VV920

WORKS IN WET ENVIRONMENT

Anti-impact glove with A-level cut protection, flexible and comfortable, ideal for heavy-duty work in dry conditions.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV920NO09	Black	09	EOS FLEX VV920	3295249268565	13295249268562	60	6	0.0 kg	71.0 cm	27.0 cm	35.5 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height