



# EOS FLEX VV920

LAVORI IN AMBIENTE UMIDO

Protezione delle mani



## Campi di utilizzo

- Lavori pubblici
- Edificio
- Manutenzione
- Lavoro temporaneo
- Stoccaggio

## Certificazioni e norme



**EN 388**  
2141AP



**EN 407**  
X2XXXX

## Protegge contro i rischi



Calore



Urti



Usura



Perforazione



# EOS FLEX VV920

## LAVORI IN AMBIENTE UMIDO

Protezione delle mani

### Dettagli - Norme



#### EN388:2016+A1:2018

2 [0-4] RESISTENZA ALL'ABRASIONE  
1 [0-5] RESISTENZA AL TAGLIO  
4 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
A [A-F] CUT RESISTANCE ISO 13997  
P [P] IMPACT RESISTANCE (OPTIONAL)

### Dettagli tecnici

Tipo di guanto	Guanto specifico
Gamma di guanti	Guanto in maglia non spalmato con palmo in pelle
Tipo di guanto meccanico	Lavorazione a maglia
Tipo di guanti Specifico	Palmo in pelle lavorata a maglia, Impatto
Colore	Nero
Taglia	8, 9, 10, 11








Safety gloves

# EOS FLEX VV920

WORKS IN WET ENVIRONMENT

Anti-impact glove with A-level cut protection, flexible and comfortable, ideal for heavy-duty work in dry conditions.

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV920NO09	Black	09	EOS FLEX VV920	3295249268565	13295249268562	60	6	0.0 kg	71.0 cm	27.0 cm	35.5 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height