



# EOS FLEX VV920

WERKEN IN NATTE OMGEVINGEN

Handbescherming



## Toepassing

- Openbare werken
- Bouw & Constructie
- Onderhoud
- Tijdelijk werk
- Opslag

## Certificeringen en normen



**EN 388**  
2141AP



**EN 407**  
X2XXXX

## Beschermt tegen



Warmte



Schok



Schuren en slijtage



Perforatie



# EOS FLEX VV920

## WERKEN IN NATTE OMGEVINGEN

Handbescherming

### Normen - Details



#### EN388:2016+A1:2018

2 [0-4] SCHUURWEERSTAND  
1 [0-5] WEERSTAND TEGEN SNIJDEN  
4 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
A [A-F] CUT RESISTANCE ISO 13997  
P [P] IMPACT RESISTANCE (OPTIONAL)

### Technische details

Type handschoen	Specifieke handschoen
Handschoenfamilie	Gebreide handschoen lederen handpalm zonder coating
Type mechanische handschoen	Gebreid
Specifieke handschoentypes	Gebreide leren palm, Impact
Kleur	Zwart
Grootte	8, 9, 10, 11








Safety gloves

# EOS FLEX VV920

WORKS IN WET ENVIRONMENT

Anti-impact glove with A-level cut protection, flexible and comfortable, ideal for heavy-duty work in dry conditions.

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV920NO09	Black	09	EOS FLEX VV920	3295249268565	13295249268562	60	6	0.0 kg	71.0 cm	27.0 cm	35.5 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height