

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Hand protection



Certifications and norms



Specific benefits

Mechanical glove with high precision for work in dry conditions



 \cdot Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use

 \cdot Hook-and-loop fastener for better wrist support



· Reduces perspiration thanks to its excellent breathability



· Lightweight for optimal dexterity

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Automotive
- Temporary work
- Power Energy

Protects against risks







Edit 01/11/2024 www.deltaplus.eu



SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Hand protection

Mechanical glove with high precision for work in dry conditions

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Not glove
Glove family	Fingerless Glove
Cuff caracteristic	Velcro cuff
Color	Black-Yellow
Size	7, 8, 9, 10, 11
Type of packaging	Header card





Edit 01/11/2024 www.deltaplus.eu



SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions

Safety gloves

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VV905NO07	Black-Yellow	07	SAFE & TOUCH VV905NO	3295249228675	13295249228672	60	12	0.0 kg	30.0 cm	40.0 cm	30.0 cm
VV905NO08	Black-Yellow	08	SAFE & TOUCH VV905NO	3295249228682	13295249228689	60	12	6.6 kg	32.4 cm	60.0 cm	35.4 cm
VV905NO09	Black-Yellow	09	SAFE & TOUCH VV905NO	3295249228699	13295249228696	60	12	6.6 kg	29.8 cm	62.0 cm	26.8 cm
VV905NO10	Black-Yellow	10	SAFE & TOUCH VV905NO	3295249228705	13295249228702	60	12	0.0 kg	30.0 cm	40.0 cm	30.0 cm
VV905NO11	Black-Yellow	11	SAFE & TOUCH VV905NO	3295249228712	13295249228719	60	12	7.1 kg	32.6 cm	59.8 cm	35.2 cm



Multiple sales

Minimum sales



👕 Box Depth

🗍 Box Height

Г



enjoy sa