



Hand protection

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions



Specific benefits



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- Hook-and-loop fastener for better wrist support



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Lightweight for optimal dexterity

Certifications and norms



EN 388
2121X

Applications

- Javna dela
- Stavba
- Second work / craftman
- Avtomobilska
- Začasno delo
- Energija



Hand protection

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Not glove
Glove family	Fingerless Glove
Cuff characteristic	Velcro cuff
Color	Črna-Rumena
Size	7, 8, 9, 10, 11
Type of packaging	Header card








Safety gloves

SAFE & TOUCH VV905NO

WORKS IN DRY ENVIRONMENT

Mechanical glove with high precision for work in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV905NO07	Black-Yellow	07	SAFE & TOUCH VV905NO	3295249228675	13295249228672	60	12	0.0 kg	30.0 cm	40.0 cm	30.0 cm
VV905NO08	Black-Yellow	08	SAFE & TOUCH VV905NO	3295249228682	13295249228689	60	12	6.6 kg	32.4 cm	60.0 cm	35.4 cm
VV905NO09	Black-Yellow	09	SAFE & TOUCH VV905NO	3295249228699	13295249228696	60	12	0.0 kg	30.0 cm	40.0 cm	30.0 cm
VV905NO10	Black-Yellow	10	SAFE & TOUCH VV905NO	3295249228705	13295249228702	60	12	0.0 kg	30.0 cm	40.0 cm	30.0 cm
VV905NO11	Black-Yellow	11	SAFE & TOUCH VV905NO	3295249228712	13295249228719	60	12	7.1 kg	32.6 cm	59.8 cm	35.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height