

# **EOS NOCUT WINTER VV913**

**LONG-LASTING CUT WORK** 

Level D cut, winter impact-resistant glove, ideal for multipurpose work in aqueous or oily environments



# Specific benefits



#### **Durability**

· Longer service life thanks to a double coating for excellent abrasion resistance



#### Easy to use

- $\cdot$  Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- · Hook-and-loop fastener for better wrist support



#### Hygiene

· Washable glove, so it can be reused



#### **Performance**

- · Flexible reinforcements for added protection against impact and pinching
- · The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

### **Technologies and labels**



DMF-free



Silicon-free

## **Applications**

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Automotive

#### **Certifications and norms**





**EN 388** 

4 X 4 4 D P



**EN 511** 

3 X

**ANSI ISEA 105** 

Α4

#### **Risk Protection**













# **EOS NOCUT WINTER VV913**

**LONG-LASTING CUT WORK** 

Level D cut, winter impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

#### **Standards - Details**



#### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 4 [0-4] PIERCE RESISTANCE D [A-F] CUT RESISTANCE ISO 13997 P [P] IMPACT RESISTANCE (OPTIONAL)

#### **Technical details**

Glove kind	Special glove
Glove family	Cut and sewn textile coated glove
Mechanical Glove Type	Cut Sewn
Special gloves kind	Cold, Impact
Coating material and finition	Double Nitrile Layer
Coating Level	Palm Coating
Number of Coatings	Double Coated
Cuff caracteristic	Velcro cuff
Benefits element	Reach, Vendor pack
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of conditioning	Header card







# **EOS NOCUT WINTER VV913**

#### **LONG-LASTING CUT WORK**

Level D cut, winter impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

#### Logistics information Reference Colour Size Designation EAN13 Box code Weight **EOS NOCUT** 36.8 69.2 34.0 VV913JA08 Yellow-Grey-Black 08 3295249233051 13295249233058 60 6 16.9 kg WINTER VV913 cm **EOS NOCUT** 33.6 71.2 35.8 VV913JA09 Yellow-Grey-Black 09 3295249233068 13295249233065 60 17.1 kg WINTER VV913 cm cm cm **EOS NOCUT** 34.4 73.2 36.8 VV913JA10 Yellow-Grey-Black 10 3295249233075 13295249233072 18.6 kg 60 WINTER VV913 cm cm cm **EOS NOCUT** 36.4 75.0 34.4 VV913JA11 Yellow-Grey-Black 11 13295249233089 18.9 kg 3295249233082 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



