



Hand protection

HESTIA VV702NO

WORKS IN DRY ENVIRONMENT

Very thin mechanical glove, ideal for precision work in dry conditions



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 1 3 1 X

Protects against risks



Wearing



Hand protection

HESTIA VV702NO

WORKS IN DRY ENVIRONMENT

Very thin mechanical glove, ideal for precision work in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	15
Benefits element	Reach, Free latex, DMF free, Vendor pack
Color	Black
Size	6, 7, 8, 9, 10
Type of packaging	in individual bags








Safety gloves

HESTIA VV702NO

WORKS IN DRY ENVIRONMENT

Very thin mechanical glove, ideal for precision work in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV702NO08	Black	08	HESTIA VV702NO	3295249169626	13295249169623	120	12	5.0 kg	33.0 cm	46.8 cm	32.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height