

# **VENICUTD07**

**LONG-LASTING CUT WORK** 

Level D cut-resistant glove, ideal for oily or aqueous environments



## **Specific benefits**



#### Hygiene

· Nitrile means no risk of allergies for users



#### **Performance**

·The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle



#### **Cost-effective**

· User-friendly worksite package, including three pairs for weekly use

### **Certifications and norms**





**ANSI ISEA 105** 

A4

## **Applications**

- Agriculture
- Fishing
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance

## **Protects against risks**













# **VENICUTD07**

**LONG-LASTING CUT WORK** 

Level D cut-resistant glove, ideal for oily or aqueous environments

#### **Standards - Details**



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE D [A-F] CUT RESISTANCE ISO 13997

#### **Technical details**

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Smooth nitrile
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Grey-Black
Size	7, 8, 9, 10
Type of packaging	Pack of 3







# **VENICUTD07**

## **LONG-LASTING CUT WORK**

Level D cut-resistant glove, ideal for oily or aqueous environments

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VECUTD07GRG30 7	Grey-Black	07	VENICUTD07	3295249214470	13295249214477	40	4	11.69 kg	30.5 cm	60.0 cm	38.5 cm
VECUTD07GRG30 8	Grey-Black	08	VENICUTD07	3295249214487	13295249214484	40	4	12.6 kg	61.0 cm	31.0 cm	38.5 cm
VECUTD07GRG30 9	Grey-Black	09	VENICUTD07	3295249214494	13295249214491	40	4	13.3 kg	30.0 cm	56.0 cm	37.0 cm
VECUTD07GRG31	Grey-Black	10	VENICUTD07	3295249214500	13295249214507	40	4	14.93 kg	30.5 cm	61.0 cm	39.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height

