



Hand protection

VENICUTD05

LONG-LASTING CUT WORK

Level D cut-resistant glove with electrostatic properties and very good finesse of work, ideal in dry conditions



Specific benefits



Durability

· Environmentally-friendly thanks to its solvent-free coating



Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves



Hygiene

· Silicone-free/latex-free/DMF-free to reduce the risk of allergies without leaving traces on components



Performance

· Lightweight for optimal dexterity
· The anti-slip properties of the polyurethane coating provides good grip.
· High electrostatic dissipation to reduce the risk of sparking

Certifications and norms



EN 388
3 X 4 1 D



EN 16350



EN 407
X 1 X X X X

ANSI ISEA 105

A4

Technologies & labels

· Solvent-free



DMF-free



Silicon-free

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Protects against risks



Antistatic



Heat



Cutting



Wearing



Hand protection

VENICUTD05

LONG-LASTING CUT WORK

Level D cut-resistant glove with electrostatic properties and very good finesse of work, ideal in dry conditions

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	18
Benefits element	Antistatic, Touch sensitive, Reach, Vendor pack
Color	Black
Size	6, 7, 8, 9, 10, 11
Type of packaging	in individual bags








Safety gloves

VENICUTD05

LONG-LASTING CUT WORK

Level D cut-resistant glove with electrostatic properties and very good finesse of work, ideal in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD05NO06	Black	06	VENICUTD05	3295249264246	13295249264243	60	12	4.2 kg	35.2 cm	64.6 cm	16.6 cm
VECUTD05NO07	Black	07	VENICUTD05	3295249264277	13295249264274	60	12	7.0 kg	33.0 cm	65.0 cm	15.0 cm
VECUTD05NO08	Black	08	VENICUTD05	3295249264284	13295249264281	60	12	4.7 kg	35.4 cm	64.2 cm	16.8 cm
VECUTD05NO09	Black	09	VENICUTD05	3295249264291	13295249264298	60	12	7.6 kg	16.4 cm	34.2 cm	65.0 cm
VECUTD05NO10	Black	10	VENICUTD05	3295249264307	13295249264304	60	12	7.9 kg	16.0 cm	35.0 cm	64.6 cm
VECUTD05NO11	Black	11	VENICUTD05	3295249264314	13295249264311	60	12	8.0 kg	16.0 cm	35.8 cm	64.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height