



Hand protection

# VENICUTD08

LONG-LASTING CUT WORK

Level D cut-resistant glove, ideal in dry conditions



## Specific benefits



### Performance

· The anti-slip properties of the polyurethane coating provides good grip.



### Cost-effective

· Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

## Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

## Certifications and norms



EN 388  
4 X 4 2 D

ANSI ISEA 105

A4

## Risk Protection



Cutting



Wearing



*enjoy safety.*

Edit 31/10/2024  
[www.deltaplus-usa.com](http://www.deltaplus-usa.com)



# VENICUTD08

## LONG-LASTING CUT WORK

Level D cut-resistant glove, ideal in dry conditions

Hand protection

### Standards - Details



#### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE  
X [0-5] CUT RESISTANCE  
4 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Gray
Size	7, 8, 9, 10, 11
Type of conditioning	Bag of 3








# VENICUTD08

## LONG-LASTING CUT WORK

Level D cut-resistant glove, ideal in dry conditions

Safety gloves

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD08GRG307	Grey	07	VENICUTD08	3295249192037	13295249192034	40	4	10.08 kg	31.0 cm	62.0 cm	34.0 cm
VECUTD08GRG308	Grey	08	VENICUTD08	3295249192044	13295249192041	40	4	11.03 kg	31.0 cm	62.0 cm	34.0 cm
VECUTD08GRG309	Grey	09	VENICUTD08	3295249192051	13295249192058	40	4	11.85 kg	31.0 cm	65.0 cm	35.0 cm
VECUTD08GRG310	Grey	10	VENICUTD08	3295249192068	13295249192065	40	4	12.72 kg	31.0 cm	62.0 cm	36.0 cm
VECUTD08GRG311	Grey	11	VENICUTD08	3295249192075	13295249192072	40	4	11.6 kg	32.0 cm	58.4 cm	39.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height