

VENICUTC05 SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Hand protection



Certifications and norms



EN 388

3 X 4 X C

EN 407

 $\times 1 \times \times \times \times$



ANSI ISEA 105 A3

Protects against risks





Specific benefits



 \cdot Reduces perspiration thanks to its excellent breathability



 \cdot The high-performance HEAT nocut fiber provides excellent abrasion and cut resistance

• The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

enjoy s

Edit 01/11/2024 www.deltaplus.eu



VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE X [0-4] PIERCE RESISTANCE C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted uncoated glove
Mechanical glove kind	Knitted
Gauge	10
Benefits element	Reach, Vendor pack
Color	Yellow-Grey
Size	7, 9, 10
Type of packaging	in individual bags



enjoy s

Edit 01/11/2024 www.deltaplus.eu




VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Safety gloves

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		1	Weight				
VECUTC05GJ07	Yellow-Grey	07	VENICUTC05	3295249157227	13295249157224	120	12	10.7 kg	30.0 cm	65.0 cm	28.0 cm	
VECUTC05GJ09	Yellow-Grey	09	VENICUTC05	3295249157234	13295249157231	120	12	12.0 kg	30.0 cm	65.0 cm	28.0 cm	
VECUTC05GJ10	Yellow-Grey	10	VENICUTC05	3295249157241	13295249157248	120	12	12.6 kg	30.0 cm	65.0 cm	28.0 cm	



Minimum sales



👕 Box Depth

👕 Box Height

ſ



enjoy sa