

Hand protection

VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry



Certifications and norms





EN 388 3 X 4 X C



EN 407×1×××



ANSI ISEA 105

АЗ

Risk Protection





Specific benefits



Hygiene

· Reduces perspiration thanks to its excellent breathability



Performance

- \cdot The high-performance HEAT nocut fiber provides excellent abrasion and cut resistance
- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining







VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE X [0-4] PIERCE RESISTANCE C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted uncoated glove
Mechanical Glove Type	Tricot
Gauge	10
Benefits element	Reach, Vendor pack
Color	Yellow-Grey
Size	7, 9, 10
Type of conditioning	in individual bags







VENICUTC05

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant multi-purpose glove, ideal for use in the heavy industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code		*	Weight			
VECUTC05GJ07	Yellow-Grey	07	VENICUTC05	3295249157227	13295249157224	120	12	10.7 kg	30.0 cm	65.0 cm	28.0 cm
VECUTC05GJ09	Yellow-Grey	09	VENICUTC05	3295249157234	13295249157231	120	12	12.0 kg	30.0 cm	65.0 cm	28.0 cm
VECUTC05GJ10	Yellow-Grey	10	VENICUTC05	3295249157241	13295249157248	120	12	12.6 kg	30.0 cm	65.0 cm	28.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height

