



Zaštita ruku

# VENICUTC04

DUGOTRAJAN RAD SA SREDNJE OŠTRIM PREDMETIMA

Rukavica za zaštitu od posjekotina razine C, idealna za suha okruženja



## Prednosti



### Performanse

· Poliuretanski premaz koji omogućuje dobro prijanjanje zahvaljujući protukliznoj funkciji



### Ekonomski

· Korisnicima su dostupna ekonomična pakiranja koja sadrže tri para rukavica, što je dovoljno za tjedan dana

## Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rudarska industrija

## Certifikati i standardi



EN 388  
4 X 4 2 C

ANSI ISEA 105

A3



Zaštita ruku

# VENICUTC04

DUGOTRAJAN RAD SA SREDNJE OŠTRIM PREDMETIMA

Rukavica za zaštitu od posjekotina razine C, idealna za suha okruženja

## Pojedinosti - Standardi



### EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU  
X [0-5] OTPORNOST NA POREZOTINE  
4 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
C [A-F] CUT RESISTANCE ISO 13997

## Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Materijal i završna obrada premaza	PU
Razina premaza	Premaz dlana
Broj premaza	Jednoslojni premaz
Debljina	13
Dodatna pogodnost	Reach, Može se prikvačiti
Boja	Siva
Veličina	7, 8, 9, 10
Vrsta pakiranja	Pakiranje od 3 komada








Safety gloves

# VENICUTC04

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant glove, ideal in dry conditions

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTC04GRG307	Grey	07	VENICUTC04	3295249191832	13295249191839	40	4	7.4 kg	33.0 cm	56.0 cm	29.4 cm
VECUTC04GRG308	Grey	08	VENICUTC04	3295249191849	0	40	4	9.6 kg	33.0 cm	55.0 cm	27.0 cm
VECUTC04GRG309	Grey	09	VENICUTC04	3295249191856	13295249191853	40	4	8.5 kg	34.6 cm	58.4 cm	30.4 cm
VECUTC04GRG310	Grey	10	VENICUTC04	3295249191863	13295249191860	40	4	9.6 kg	34.4 cm	59.2 cm	30.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height