



Hand protection

VENICUTC04

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant glove, ideal in dry conditions



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

· Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 2 C

ANSI ISEA 105

A3

Risk Protection



Cutting



Wearing



Hand protection

VENICUTC04

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant glove, ideal in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Gray
Size	7, 8, 9, 10
Type of conditioning	Bag of 3








Safety gloves

VENICUTC04

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant glove, ideal in dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTC04GRG307	Grey	07	VENICUTC04	3295249191832	13295249191839	40	4	7.4 kg	33.0 cm	56.0 cm	29.4 cm
VECUTC04GRG308	Grey	08	VENICUTC04	3295249191849	0	40	4	9.6 kg	33.0 cm	55.0 cm	27.0 cm
VECUTC04GRG309	Grey	09	VENICUTC04	3295249191856	13295249191853	40	4	8.5 kg	34.6 cm	58.4 cm	30.4 cm
VECUTC04GRG310	Grey	10	VENICUTC04	3295249191863	13295249191860	40	4	9.6 kg	34.4 cm	59.2 cm	30.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height