



Hand protection

# VENICUTB05

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with electrostatic properties, allowing a high degree of finesse in work, ideal in dry conditions



## Specific benefits



### Durability

- Environmentally-friendly thanks to its solvent-free coating
- Tested before and after washing: performance unchanged



### Easy to use

- Tactile, so you can use your tablet or smartphone without removing your gloves



### Hygiene

- Silicone-free/latex-free/DMF-free to reduce the risk of allergies without leaving traces on components



### Performance

- Lightweight for optimal dexterity
- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

## Certifications and norms



EN 388  
3 X 3 1 B



EN 16350



EN 407  
X 1 X X X X

ANSI ISEA 105

A2

## Technologies & labels

- Solvent-free



DMF-free



Silicon-free

## Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

## Protects against risks



Antistatic



Heat



Cutting



Wearing



Hand protection

# VENICUTB05

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with electrostatic properties, allowing a high degree of finesse in work, ideal in dry conditions

## Standards - Details



### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
X [0-5] CUT RESISTANCE  
3 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
B [A-F] CUT RESISTANCE ISO 13997

## Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	18
Benefits element	Antistatic, Touch sensitive, Reach, Free latex, Silicone free, DMF free, Vendor pack
Color	Black
Size	6, 7, 8, 9, 10, 11
Type of packaging	in individual bags








Safety gloves

# VENICUTB05

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with electrostatic properties, allowing a high degree of finesse in work, ideal in dry conditions

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTB05GR06	Black	06	VENICUTB05	3295249264222	13295249264229	60	12	4.3 kg	16.2 cm	34.4 cm	65.0 cm
VECUTB05GR07	Black	07	VENICUTB05	3295249264376	13295249264373	60	12	0.0 kg	33.0 cm	65.0 cm	15.0 cm
VECUTB05GR08	Black	08	VENICUTB05	3295249264383	13295249264380	60	12	4.8 kg	15.6 cm	34.4 cm	64.6 cm
VECUTB05GR09	Black	09	VENICUTB05	3295249264390	13295249264397	60	12	5.1 kg	16.2 cm	34.4 cm	64.8 cm
VECUTB05GR10	Black	10	VENICUTB05	3295249264406	13295249264403	60	12	5.1 kg	16.2 cm	34.6 cm	64.8 cm
VECUTB05GR11	Black	11	VENICUTB05	3295249264413	13295249264410	60	12	5.5 kg	15.8 cm	34.4 cm	64.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height