

VENICUTB06

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove allowing finesse in work in oily or aqueous environments



Certifications and norms





ANSI ISEA 105

A2

Specific benefits



Hygiene

- · Reduces perspiration thanks to its excellent breathability
- · Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Risk Protection











VENICUTB06

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove allowing finesse in work in oily or aqueous environments

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Smooth Nitrile
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	18
Benefits element	Reach, Vendor pack
Color	Gray
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bags







VENICUTB06

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove allowing finesse in work in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VECUTB06GR06	Grey	06	VENICUTB06	0	0	120	12	6.6 kg	30.0 cm	56.0 cm	37.0 cm
VECUTB06GR07	Grey	07	VENICUTB06	0	0	120	12	6.6 kg	30.0 cm	56.0 cm	37.0 cm
VECUTB06GR08	Grey	08	VENICUTB06	0	0	120	12	7.0 kg	30.0 cm	56.0 cm	37.0 cm
VECUTB06GR09	Grey	09	VENICUTB06	3295249211196	13295249211193	120	12	7.6 kg	30.0 cm	56.0 cm	37.0 cm
VECUTB06GR10	Grey	10	VENICUTB06	3295249211202	13295249211209	120	12	7.9 kg	30.0 cm	56.0 cm	37.0 cm
VECUTB06GR11	Grey	11	VENICUTB06	0	0	120	12	8.0 kg	30.0 cm	56.0 cm	37.0 cm



Minimum sales

Box Width

Box Depth

Box Height



