



VENICUT5X1

TRAVAUX COUPANTS LONGUE DURÉE

Protection des mains



Applications

- Travaux publics
- Bâtiment
- Second œuvre / Artisans
- Maintenance
- Automobile
- Industrie minière

Certifications et normes



EN 388
4 X 4 3 D

ANSI ISEA 105

A5

Protège contre les risques



Coupure



Usure



enjoy safety.

Edité 01/11/2024
www.deltaplus.eu



VENICUT5X1

TRAVAUX COUPANTS LONGUE DURÉE

Protection des mains

Détails - Normes



EN388:2016+A1:2018

4 [0-4] RÉSISTANCE À L'ABRASION
X [0-5] RÉSISTANCE À LA COUPURE
4 [0-4] RÉSISTANCE À LA DÉCHIRURE
3 [0-4] RÉSISTANCE À LA PERFORATION
D [A-F] RÉSISTANCE À LA COUPURE SELON
ISO 13997

Détails techniques

Type de gant	Gant spécifique
Famille de gants	Gant tricoté enduit
Type de gant mécanique	Tricoté
Type de gants Spécifiques	Tricoté paume cuir
Matériau et finition de l'enduction	PU
Niveau d'enduction	Enduction palmaire
Nombre d'enduction	Simple enduction
Jauge	13
Couleur	Gris
Tailles	9, 10, 11



VENICUT5X1

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5X1GR09	Grey	09	VENICUT5X1	0	13295249213203	60	12	8.3 kg	32.4 cm	33.4 cm	48.2 cm
VECUT5X1GR10	Grey	10	VENICUT5X1	0	0	60	12	8.8 kg	34.0 cm	33.2 cm	48.2 cm
VECUT5X1GR11	Grey	11	VENICUT5X1	3295249213237	13295249213234	60	12	9.1 kg	33.0 cm	32.6 cm	49.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height