



VENICUT57G3

LAVORI TAGLIENTI DI LUNGA DURATA

Protezione delle mani



Campi di utilizzo

- Lavori pubblici
- Edificio
- Finitura / artigiani
- Manutenzione
- Industria chimica
- Automotive

Certificazioni e norme



EN 388
4 X 4 3 D

ANSI ISEA 105

A3

Protegge contro i rischi



Taglio



Usura



VENICUT57G3

LAVORI TAGLIENTI DI LUNGA DURATA

Protezione delle mani

Dettagli - Norme



EN388:2016+A1:2018

4 [0-4] RESISTENZA ALL'ABRASIONE
X [0-5] RESISTENZA AL TAGLIO
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Dettagli tecnici

Tipo di guanto	Guanto meccanico
Gamma di guanti	Guanto in maglia spalmato
Tipo di guanto meccanico	Lavorazione a maglia
Materiale e finitura della spalmatura	Nitrile liscio
Livello di spalmatura	Spalmatura sul palmo
Numero di spalmature	Spalmatura singola
Finezza	13
Colore	Grigio-Nero
Taglia	7, 8, 9, 10








VENICUT57G3

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT57GRG307	Grey-Black	07	VENICUT57G3	0	0	40	4	11.4 kg	29.2 cm	38.6 cm	58.8 cm
VECUT57GRG308	Grey-Black	08	VENICUT57G3	0	0	40	4	12.8 kg	30.4 cm	38.8 cm	58.2 cm
VECUT57GRG309	Grey-Black	09	VENICUT57G3	0	0	40	4	13.8 kg	31.0 cm	43.2 cm	60.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height