



# VENICUT53NO

LANGDURIG WERKEN MET SNIJRISICO

Handbescherming



## Toepassing

- Openbare werken
- Bouw & Constructie
- Afwerking / ambachtslieden
- Onderhoud
- Automotive
- Mijnbouw

## Certificeringen en normen



EN 388  
4 X 4 3 D

ANSI ISEA 105  
A4

## Beschermt tegen



Snijden



Schuren en slijtage



# VENICUT53NO

## LANGDURIG WERKEN MET SNIJRISICO

Handbescherming

### Normen - Details



#### EN388:2016+A1:2018

4 [0-4] SCHUURWEERSTAND  
X [0-5] WEERSTAND TEGEN SNIJDEN  
4 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997

### Technische details

Type handschoen	Mechanische handschoen
Handschoenfamilie	Gebreide handschoen met coating
Type mechanische handschoen	Gebreid
Coatingmateriaal en afwerking	Schuim nitril
Coatingniveau	Palm coating
Aantal coatings	Enkele coating
Jauge	15
Kleur	Zwart
Grootte	7, 8, 9, 10








# VENICUT53NO

## LONG-LASTING CUT WORK

Safety gloves

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT53NO07	Black	07	VENICUT53NO	0	0	60	12	4.8 kg	19.4 cm	32.2 cm	69.0 cm
VECUT53NO08	Black	08	VENICUT53NO	0	0	60	12	4.9 kg	20.2 cm	30.8 cm	68.4 cm
VECUT53NO09	Black	09	VENICUT53NO	0	0	60	12	5.5 kg	20.0 cm	33.2 cm	68.2 cm
VECUT53NO10	Black	10	VENICUT53NO	0	0	60	12	5.6 kg	20.0 cm	32.2 cm	68.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height