



VENICUT43

TRABAJOS LIGERAMENTE CORTANTES DE LARGA DURACIÓN

Protección de las manos



Aplicaciones

- Agricultura
- Obras públicas
- Edificación
- Reformas / Profesional autónomo
- Mantenimiento
- Industria química

Certificaciones y normas



EN 388
4 X 4 3 C

ANSI ISEA 105

A3

Protección contra



Corte



Desgaste



VENICUT43

TRABAJOS LIGERAMENTE CORTANTES DE LARGA DURACIÓN

Protección de las manos

Detalles - Normas



EN388:2016+A1:2018

4 [0-4] RESISTENCIA A LA ABRASIÓN
X [0-5] RESISTENCIA A LOS CORTES
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Detalles técnicos

Tipo de guante	Guante mecánico
Familia de guantes	Guantes de punto forrados
Tipo de guante mecánico	De punto
Material y acabado del revestimiento	Nitrilo liso
Nivel de recubrimiento	La palma de la mano
Número de revestimientos	Revestimiento único
Galga	13
Color	Gris-Negro
Tallas	7, 8, 9, 10
Tipo de envase	Bolsa de 3








VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height