



VENICUT43

DŁUGOTRWAŁA PRACA Z NIEWIELKIM RYZYKIEM PRZECIĘCIA

Ochrona rąk



Obszar użytkowania

- Rolnictwo
- Roboty publiczne
- Budownictwo
- Prace remontowe / Rzemiosło
- Konserwacja
- Przemysł chemiczny

Certyfikaty i normy



EN 388
4 X 4 3 C

ANSI ISEA 105

A3

Chroni przed



Przecięcie



Zużycie



VENICUT43

DŁUGOTRWAŁA PRACA Z NIEMIŁKIM RYZYKIEM PRZECIĘCIA

Ochrona rąk

Szczegóły - Normy



EN388:2016+A1:2018

4 [0-4] ODPORNOŚĆ NA ŚCIERANIE
X [0-5] ODPORNOŚĆ NA PRZECIĘCIE OSTRYM
NARZĘDZIEM
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Dane techniczne

Rodzaj rękawic	Rękawice mechaniczne
Kolekcja rękawic	Rękawice dzianinowe powlekane
Rodzaj rękawicy mechanicznej	Dzianina
Materiał powłoki i wykończenie	Nitryl gładki
Zakres powleczenia	Powleczenie strony chwytnej
Liczba powłok	Pojedyncza powłoka
Ścieg	13
Kolor	Szaro-czarny
Rozmiar	7, 8, 9, 10
Rodzaj opakowania	W woreczku: 3








VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height