



VENICUT43

ÇOK KESKİN OLMAYAN; UZUN SÜREN ÇALIŞMA

El Koruma



Uygulamalar

- Tarım
- Kamu işleri
- Yapı
- İkinci iş / Zanaatkarlar
- Bakım
- Kimya endüstrisi

Sertifikalar ve standartlar



EN 388
4 X 4 3 C

ANSI ISEA 105

A3

Karşı korur



Kesme



Aşınma



enjoy safety.

edit 04/11/2024
www.deltaplus.eu




VENICUT43

ÇOK KESKİN OLMAYAN; UZUN SÜREN ÇALIŞMA

El Koruma

Detaylar - Standartlar



EN388:2016+A1:2018

4 [0-4] AŞINMA DİRENCİ
X [0-5] KESİLME DİRENCİ
4 [0-4] TEAR RESİSTANCE
3 [0-4] PIERCE RESİSTANCE
C [A-F] CUT RESİSTANCE ISO 13997

Ürün bilgileri

Eldiven tipi	Mekanik eldiven
Eldiven ailesi	Kaplamalı örme eldiven
Mekanik eldiven tipi	Örme
Kaplama malzemesi ve bitişi	Düz nitril
Kaplama seviyesi	Avuç içi kaplama
Kaplama sayısı	Tek kaplama
Ölçü	13
Renk	Gri-Siyah
Boyutlar	7, 8, 9, 10
Paketleme tipi	3'li paket








VENICUT43


SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height